




ELEVATE YOUR SPACE

- Chemical resistant
- Strong
- Flat Surface
- Rich Design
- **Easy to Maintain**







TAURO GOLD | GLOSSY



*) Elevate your surfaces with Super White Glaze, our premium glazing technology that delivers unparalleled whiteness & brilliance. Perfect for creating a pristine, luminous finish, Super White Glaze ensures a flawless, bright appearance that enhances any space.



MODERATE VARIATION



TAZMANIA

CREAM | GLOSSY



SLIGHT VARIATION



TAZMANIA

GREY | GLOSSY





TRIXIECREAM | MATT

Slip Resistance: R10



CREAM | MATT Slip Resistance: R12



TIMBER
CREAM | MATT
Slip Resistance: R10



TIMBER

GREY | MATT


Slip Resistance: R10



GIRANTINO


BROWN | MATT

Slip Resistance: R12



GREY | MATT Slip Resistance: R12







TREMMY BROWN | GLOSSY




TRENTON
BLACK | GLOSSY



TIMBERDARK GREY | MATT
Slip Resistance: R10



GIRANTINO DARK GREY | MATT



TARSUS

GREY | MATT


Slip Resistance: R10



TORRANCE

GREY | MATT

Slip Resistance: R12



TARSUS

DARK GREY | MATT
Slip Resistance: R10



TORRANCE

BROWN | MATT

Slip Resistance: R12



SLIGHT VARIATION







DOMA

GOLD | GLOSSY



*) Elevate your surfaces with Super White Glaze, our premium glazing technology that delivers unparalleled whiteness & brilliance. Perfect for creating a pristine, luminous finish, Super White Glaze ensures a flawless, bright appearance that enhances any space.



MODERATE VARIATION



DERRY

CREAM | MATT Slip Resistance: R9



*) Experience the ultimate in softness with our baby skin surfaces. As smooth as silk & tender as a newborn's touch, they bring luxury & comfort to any space.





DEMETRIOWHITE | GLOSSY



DEMETRIOCREAM | GLOSSY







DIXIE GREY | MATT Slip Resistance: R10



DIXIE DARK GREY | MATT Slip Resistance: R10



*) Our innovative application GritTech+ with Diamond Glass feature ensures ultimate surface flatness & unparalleled clarity across the entire surface.



SLIGHT VARIATION



DERRY


GREY | MATT Slip Resistance: R9



*) Experience the ultimate in softness with our baby skin surfaces. As smooth as silk & tender as a newborn's touch, they bring luxury & comfort to any space.



SLIGHT VARIATION











FLORINA

GOLD | MATT Slip Resistance: R9



*) Experience the ultimate in softness with our baby skin surfaces. As smooth as silk & tender as a newborn's touch, they bring luxury & comfort to any space.



MODERATE VARIATION



FOXYGREY | MATT



*) Our innovative application GritTech+ with Diamond Glass feature ensures ultimate surface flatness & unparalleled clarity across the entire surface.





FONZY
CREAM | MATT
Slip Resistance: R9



FONZY

GREY | MATT Slip Resistance: R9



*) Our innovative application GritTech+ with Diamond Glass feature ensures ultimate surface flatness & unparalleled clarity across the entire surface.





FIORANO GOLD | GLOSSY



FOGGIA GREY | GLOSSY



FOLIGNO GREEN | GLOSSY







FOXY

DARK GREY | MATT
Slip Resistance: R10



*) Our innovative application GritTech+ with Diamond Glass feature ensures ultimate surface flatness & unparalleled clarity across the entire surface.



FAXIA BROWN | GLOSSY




FAXIA DARK GREY | GLOSSY





FERRARA BLACK | GLOSSY



FIDENZA BLACK | GLOSSY



SLIGHT VARIATION

COLOR SHADE VARIATION GUIDE:



BRAVO GREY 60X60




TAZMANIA CREAM 60X60



TAURO GOLD 60X60



MOROCCAN 60X60




UNIFORM APPEARANCE

Minimal differences range of color & motif among tiles.




SLIGHT VARIATION

Slight differences in texture and/or pattern within similar colors.



MODERATE VARIATION

Clearly distinguishable differences in texture or pattern or colors from tile to tile.



SUBSTANTIAL VARIATION

Random color and/or pattern differences from tile to tile. Unique final installation looks.

TECHNICAL CHARACTERISTICS

TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	INFINITI GRANITE
Length & Width	ISO 10545-2	± 0.6%	± 0.25%
Side Straightness	ISO 10545-2	± 0.5%	± 0.25%
Rectangularity	ISO 10545-2	± 0.6%	± 0.25%
Centre & Edge Curvature	ISO 10545-2	± 0.5%	± 0.15% to + 0.25%
Warpage	ISO 10545-2	± 0.5%	± 0.25%
Thickness	ISO 10545-2	± 5.0%	± 5.0%
Water Absorption	ISO 10545-3	Group B1a ≤ 0.5%	B1a ≤ 0.5%
Modulus of Rupture	ISO 10545-4	Group B1a 35 Ind. Min 32 N/mm ²	≥ 35 N/mm ²
Crazing Resistance	ISO 10545-11	Required	Resistant
Frost Resistance	ISO 10545-12	Required	Resistant
Chemical Resistance	ISO 10545-13	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545-14	Minimum Class III	Minimum Class III
Abrasion Resistance	ISO 10545-7	Group I to V	Group III to V

- Color and other aesthetic features shown in this catalogue as close as the limitation of the printing process will allow.
- Some variations in color shade, finish and tolerance in bookmatched / endmatched design are inherent in granite products.
- Always view several samples before making final selection.
- Different may occur between samples and final product.

SHOWROOM

SURABAYA SHOWROOM

Jl. Panglima Sudirman 23-25 Surabaya 60271 +62 31 531 2358

BANDUNG SHOWROOM

Jl. Soekarno Hatta 718 Bandung 40295 +62 22 780 6600

JAKARTA SHOWROOM

Komp. Ruko Agung Sedayu Jl. Mangga Dua Raya Blok E no 4-5 Jakarta Pusat 10730 +62 21 601 6450 Ruko IBCC (Istana Building Commodities Center) Stand 01, 02, 03, 12, 12a, 12b

Jl. Ahmad Yani 296 Bandung 40271 +62 22 723 8180

SEMARANG SHOWROOM

Komp. Pertokoan & Perkantoran Jurnatan Stand D 22-23 Jl. Suari Semarang 50121 +62 24 354 4459

DENPASAR SHOWROOM

Jl. Gatot Subroto Timur 486 Ruko 4-6 Denpasar 80239 +62 811 316 5017

MEDAN SHOWROOM

Jl. H.M. Yamin 74b Medan 20111 +62 61 457 5227

PLANT

PT. SURYA MULTI CEMERLANG

JI. RAYA WONOAYU DESA SEMAMBUNG, RT 01 RW 01 KEC. WONOAYU Jl. Raya Rengas Bandung KM 61, RT 01 RW 05, Desa Karangsambung Kec. Kedungwaringin, Kab. Bekasi 17540 Indonesia

Tel. +62 31 6005 9800

Tel. +62 21 8914 3552 Fax. +62 21 8914 3234

